

# SCARUS CROICENSIS.



## CHARACTER GENERICUS.

*Caput* : *Dentium* loco maxillæ ipsæ eminentes;  
margine dentato-crenatæ osseæ.

*Membrana branchiostega* radiis quinque; Oper-  
culum integerrimum.

*Corpus* : Linea lateralis plurimis ramosa.

*Lin. Syst. Nat. Gmel.* p. 1280.

## CHARACTER SPECIFICUS, &c.


SCARUS pinna caudæ rotundata.

*Bloch. ichth. 7. p. 18. t. 221.*


*Pisc. Thoracici.*

---

Maria Indica et Americana incolit Scarus Croicensis, a Blochio primum depictus. Coloribus variat; interdum totus ruber, interdum fasciis argenteo-albis insignitus. In pedalem crescit longitudinem.







Pl. 47

London Published June 1850, by J. & P. Verger, Newman Street.

THE  
RED SCARUS.



*GENERIC CHARACTER.*

Strong *bony processes*, crenated at the edges,  
instead of teeth.

*SPECIFIC CHARACTER, &c.*

RED SCARUS, with rounded tail, and the body  
sometimes marked by silvery-white stripes.

Der rothe Papagey-Fisch.

*Bloch. ichth. pl. 221.*

---

This elegant species, measuring about twelve inches in length, is a native of the Indian and American seas and was first figured in the work of Dr. Bloch. In color it varies; being sometimes entirely red, and sometimes marked with longitudinal silvery-white stripes.